

To: Catri, Cindy[Catri.Cynthia@epa.gov]
Cc: Dickerson, Dave[dickerson.dave@epa.gov]; Lederer, Dave[Lederer.Dave@epa.gov]
From: Tisa, Kimberly
Sent: Thur 8/3/2017 6:10:39 PM
Subject: RE: review of 21e phase 3 resubmission by AVX

Sounds like that's what you folks want me to do. As such, that was the plan.

Kimberly N. Tisa, PCB Coordinator

USEPA

5 Post Office Square, Suite 100

Boston, MA 02109-3912

617.918.1527 (phone)

617.918.0527 (fax)

Tisa.Kimberly@epa.gov

From: Catri, Cindy
Sent: Thursday, August 03, 2017 1:51 PM
To: Tisa, Kimberly <Tisa.Kimberly@epa.gov>
Cc: Dickerson, Dave <dickerson.dave@epa.gov>; Lederer, Dave <Lederer.Dave@epa.gov>
Subject: FW: review of 21e phase 3 resubmission by AVX

Just to clarify...consistent with our past communication to AVX, your comments will be a letter directly to AVX as this is an independent TSCA review, with a cc to the State, right?

From: Lederer, Dave
Sent: Thursday, August 03, 2017 11:23 AM
To: Gallagher, Angela (DEP) <Angela.Gallagher@MAssMail.State.MA.US>
Cc: Catri, Cindy <Catri.Cynthia@epa.gov>; Dickerson, Dave <dickerson.dave@epa.gov>; Tisa, Kimberly <Tisa.Kimberly@epa.gov>

Subject: review of 21e phase 3 resubmission by AVX

Spoke to the team of internal reviewers this am; due to vacation schedules, it is going to be hard to get people together to consolidate comments. We would

Like to request that we be able to submit our comments to DEP on Friday September 8th. Kim anticipates TSCA comments will be submitted at the same time but

Separately. Let me know if the timing is a problem.

David Lederer

Team Leader,

New Bedford Harbor Superfund Site

US EPA, Region I

OSRR 7-1

5 Post Office Square

Boston MA 02109

617-918-1325